

Material Safety Data Sheet

(Approved by US Department of Labor "Essentially Similar" to Form OSHA 20)

Section 1. Substance, Preparation And Company Designation

Product: Sigaway Electronic

Manufacturer: Sifloor AG

Allmendstrasse 26 CH – 6210 Sursee +41-41-922 21 21

US Contact for information or emergencies Call Chemtrec:

Domestic North America: **800-424-9300** International: **+1-800-424-9300**

Product class: Textile reinforced acrylic polymer dry. Double sided pressure

sensitive electrically conductive flooring adhesive with silicone

release paper.

Section 2. Hazardous Ingredients

Ingredients	CAS#	Percent		ational re Limit	Vapor Pressure mmHg
			TVL	PEL	
-	-	-	-	-	-

No hazardous substances subject to reporting requirement of Section 313 Title III of the 1986 Superfund Reauthorization Act 40 CRF Part 372 in product

Section 3. Physical Data

Form: Solid, double sided adhesive tape, covered with a silicone

release paper on one side.

Color: Colorless to yellowish

Odor: Odorless

Boiling point (°C):

Melting point (°C):

Vapor density:

Not applicable

Not applicable

Evaporation rate: None % Volatile by Volume: None

Density (g/cm3): ~1.00

Solubility in water: Insoluble, not dispersible

Sifloor Sigaway Electronic page 1 / 3 date of issue: 01.03.2007 printing date: 15.03.2007



Material Safety Data Sheet

(Approved by US Department of Labor "Essentially Similar" to Form OSHA 20)

Section 4. Fire-Fighting Measures

Flammability classification: OHSA CLASS IIIB DOT None

Flame point: $> 200 \,^{\circ}\text{C} > 390 \,^{\circ}\text{F}$

Suitable extinguishing agents: Water, CO₂, foam, alcohol foam, dry extinguishers, water fog

Unsuitable extinguishing agents: None known

Special fire fighting procedures: Water may be useful in keeping fire exposed product cool.

Unusual fire/explosion hazards: None

Section 5. Health Hazard Data

Effects of overexposure

Acute: None known Chronic: None known Medical condition prone to None known None known

Aggravation by exposure:

Hazardous chemicals listed as

Carcinogens:

National toxicology program: No Monographs: No

Primary route(s) of entry: Dermal: No Inhalation: No Ingestion: No

None

Emergency and first aid procedures

1. Eye contact: Seek immediate medical attention if eyes are accidentally cut or

injured when handling the product.

2. Skin Contact: As an ordinary hygienic procedure wash skin with soap and water

3. Inhalation: No known hazards4. Ingestion: No known hazards

Section 6. Stability And Reactivity

Stability: Stable
Hazardous polymerization: Will not occur

Substances to avoid: Strong oxidizing agents. Strong reducing agents

Conditions to avoid: Excessive heat

Dangerous decomposition products: None known. By fire: CO₂, CO

Further information: None

Section 7. Spill Or Leak Procedures

Steps to be taken in case material is

released or spilled:

not applicable, material is solid

Waste disposable method: Follow practice for dry solid waste disposal in accordance with

Federal, State and Local regulations.

Sifloor Sigaway Electronic page 2 / 3 date of issue: 01.03.2007 printing date: 15.03.2007



Material Safety Data Sheet

(Approved by US Department of Labor "Essentially Similar" to Form OSHA 20)

Section 8. **Special Protection Information**

Respirator protection: None normally required. Use normal ventilation or open windows.

Ventilation: Use normal ventilation or open windows.

Protective gloves: Protective gloves are recommended to prevent possible cuts. Safety glasses are recommended to prevent accidental eye injury Eye protection:

due to cuts.

Other protective equipment: None required

Hygienic practices: Prudent hygienic practices, such as washing hands after

> handling, are always recommended. Do not eat or drink while working

Other:

Due to slippery properties of the silicone release paper, care must be exercised during installation to prevent accidental falls. The silicone waste paper must be stored in waste containers or plastic bags

immediately after removal form the product to prevent falls and related injuries.

Special Precautions Section 9.

Precautions to be taken for handling

and storing:

sun exposure.

Other precautions:

Keep out reach of children! For industrial use only!

Store in a cool and dry place. Avoid high humidity and direct

Section 10. Emergency Planning And Community Right-To-Know Act

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372.

CAS Number Chemical Name		Percent by Weight	
n/a	None	0	

Section 11. Other Information

The data in this Safety Data Sheet corresponds to the latest findings at the time of writing, according to the best of our knowledge and belief. This MSDS is offered solely for your information, consideration and investigation and does not constitute a guarantee for any specific property or specification of the product.

Sifloor AG provides no warranties either expressed or implied and assume no responsibility for the accuracy or completeness of the data contained herein. The information may not be transferred to other products.

Sifloor Sigaway Electronic date of issue: 01.03.2007 printing date: 15.03.2007